

CENTER CONSOLES

CLASSIC-V MODEL LINE




SEA VEE
Boats
LEAD THE WAY



CENTER CONSOLE PERFECTION

One at a time, SeaVee has been building and perfecting center console fishing boats with a deep-V hull for almost 40 years. This tried and true prismatic hull design has proven its worth over the years by offering boaters a stable fishing platform with a smooth ride throughout a wide range of speeds in a variety of sea conditions.

SeaVee's Deep-V Model line starts with the 290 and grows from there with the 320 & 340 series and is completed by the 390 series. Built to order, every model is spec'd for the exact needs each individual customer. Ask your sales rep about custom fishing options and seating configurations associated with the Luxury Edition (LE) models.



BUILD IT YOUR WAY





Every SeaVee is unique. And with an abundance of available options, how you configure your boat is up to you. If fishing is the focus consider adding a tower, additional live wells, a sea chest and a custom array of rod holders along the gunwales. Explore the Luxury Edition (LE) options for added creature comforts including a variety of molded-in seats, benches, sofas and sun loungers.

SPECIFICATIONS

290



290 OUTBOARD

The all new SeaVee 290B is best defined by two words - versatility and performance. Choose from an Open Fisherman layout and the Luxury Edition (LE) with molded-in forward seating and an optional rear bench. Spec a rod holder layout and select from two leaning post designs, three hard-tops, an additional in-deck live well and your choice of motors and electronics.

SPECIFICATIONS*

| | |
|---------------------|------------|
| Length: | 29' 6" |
| Beam: | 9' |
| Weight w/o engines: | 6,400 lbs. |
| Hull Draft: | 20" |
| Hull Deadrise: | 25° |
| Fuel Capacity: | 234 gal. |
| Fresh Water: | 32 gal. |
| Waste: | 10 gal. |
| Max Engines: | 2 |
| Max HP: | 800 |

CAPACITIES


| | |
|----------------------------------|-----------------|
| Fwd Fishbox: | 110 gal. |
| Fwd Wing Boxes: | 2x 45 gal. |
| Aft In Deck Fishbox / Live Well: | 60 gal. |
| Transom Live Well: | 50 gal. |
| Transom Storage/ Live Well: | 10 gal./22 gal. |

STANDARD FEATURES

- 50 gallon live bait well with pump
- Integrated platform with transom door
- Fully insulated fishboxes (2)
- Hydraulic steering
- High performance trim tabs
- Dual water separators
- Large dual card compass
- Dual automatic bilge pumps
- Specifications subject to change
- Dual marine AGM batteries
- Tinned wiring
- Electrical breaker panels
- Navigation lighting
- Coated 1/4" aluminum fuel tanks
- Heavy duty rub rail
- Anchor locker / Windlass Compartment
- Pop up cleats (6)
- Rod Holders (4)
- Under deck dry storage
- Self-bailing cockpit with non-skid deck
- Center Console with storage compartment
- Lockable rod storage
- 10 year hull warranty

DECK LAYOUT CHART

- A. Anchor Locker / Windlass Compartment
- B. Fishbox
- C. Fwd Wing Boxes / Lockable Rod Lockers
- D. Console Storage or Optional Head
- E. Custom Tackle Station
- F. Storage / Optional Fishbox or In-Deck Live Well
- G. Bilge Access
- H. Live Well
- I. Transom Storage or Live Well
- J. Optional Molded Forward Seating With Electric Back Rest & Storage
- K. Aft Storage
- L. Transom Dive Door



SPECIFICATIONS 320



320 SERIES

The SeaVee 320 Series is available in two configurations; as an Open Fisherman, or the Luxury Edition (LE). The 320 Open is a pure tournament fishing machine with a wide open deck layout and plenty of storage capacity. Notable options include up to 3 live wells, an upper station with full controls, removable seating and a variety of leaning post and t-top designs. Upgrading to the LE adds molded-in forward seating, an optional sun pad and a variety of optional rear benches.

SPECIFICATIONS*

| | |
|---------------------|------------|
| Length: | 32' 5" |
| Beam: | 9' 4" |
| Weight w/o engines: | 7,220 lbs. |
| Hull Draft: | 20" |
| Hull Deadrise: | 25° |
| Fuel Capacity: | 310 gal. |
| Fresh Water: | 40 gal. |
| Waste: | 14 gal. |
| Max Engines: | 2 |
| Max HP: | 800 |

CAPACITIES


| | |
|----------------------------------|-----------------|
| Fwd Fishbox: | 160 gal. |
| Fwd Fishbox / Live Well: | 53 gal. |
| Fwd Wing Boxes: | 2x 45 gal. |
| Aft In Deck Fishbox / Live Well: | 60 gal. |
| Transom Live Well: | 60 gal. |
| Transom Storage/ Live Well: | 10 gal./22 gal. |

STANDARD FEATURES

- 60 gallon live bait well with pump
- Integrated platform with transom door
- Fully insulated fishboxes (2)
- Hydraulic steering
- High performance trim tabs
- Dual water separators
- Large dual card compass
- Dual automatic bilge pumps
- Specifications subject to change
- Dual marine AGM batteries
- Tinned wiring
- Electrical breaker panels
- Navigation lighting
- 1/4" Coated Aluminum Fuel Tanks
- Heavy duty rub rail
- Anchor locker / Windlass Compartment
- Pop up cleats (6)
- Rod Holders (4)
- Under deck dry storage
- Self-bailing cockpit with non-skid deck
- Center Console with storage compartment
- Lockable rod storage
- 10 year hull warranty

DECK LAYOUT CHART

- A. Anchor Locker / Windlass Compartment
- B. Fishbox
- C. Fishbox or Live Well
- D. Fwd Wing Boxes / Lockable Rod Lockers
- E. Console Storage or Optional Head
- F. Custom Tackle Station
- G. Storage / Optional Fishbox / In-Deck Live Well
- H. Bilge Access
- I. Live Well
- J. Transom Storage or Live Well
- K. Optional Molded Forward Seating with Electric Back Rest & Storage
- L. Transom Dive Door



SPECIFICATIONS



340 OPEN

Designed with the tournament fisherman in mind, the SeaVee 340 Open can be powered with twin or triple outboards up to 1,200 hp, and has been a best seller for over 15 years. Offered with an abundance of options including an upper station with full controls, up to 3 insulated fishboxes with a combined 293 gallons of capacity, plus an optional coffin box and up to 3 live wells capable of holding up to 173 gallons, this boat is all business.

SPECIFICATIONS*

| | |
|---------------------|------------|
| Length: | 34' 9" |
| Beam: | 10' |
| Weight w/o engines: | 8,400 lbs. |
| Hull Draft: | 20" |
| Hull Deadrise: | 23.5° |
| Fuel Capacity: | 328 gal. |
| Fresh Water: | 40 gal. |
| Waste: | 14 gal. |
| Max Engines: | 3 |
| Max HP: | 1,200 |

CAPACITIES

| | |
|----------------------------------|-----------------|
| Fwd Fishbox: | 180 gal. |
| Fwd Fishbox /Live Well: | 53 gal. |
| Fwd Wing Boxes: | 2x 45 gal. |
| Aft In Deck Fishbox / Live Well: | 60 gal. |
| Transom Live Well: | 60 gal. |
| Transom Storage/ Live Well: | 10 gal./22 gal. |


STANDARD FEATURES

- 60 gallon live bait well with pump
- Transom bait station with sink
- Integrated platform with transom door
- Fully insulated fishboxes (2)
- Hydraulic steering
- High performance trim tabs
- Fuel / water separator (s)
- Large dual card compass
- Dual automatic bilge pumps
- Dual marine AGM batteries
- Tinned wiring
- Electrical breaker panels
- Navigation lighting
- Heavy duty rub rail
- Anchor locker / Windlass Compartment
- Rod holders (4)
- Pop up cleats (6)
- Helm station keyed, electronically controlled battery switches

* Specifications subject to change

DECK LAYOUT CHART

- A. Anchor Locker / Windlass Compartment
- B. Fishbox
- C. Fishbox or Live Well
- D. Fwd Wing Boxes / Lockable Rod Lockers
- E. Console Storage or Optional Head
- F. Custom Tackle Station
- G. Storage / Fishbox / In-Deck Live Well
- H. Bilge Access
- I. Live Well
- J. Transom Storage or Live Well
- K. Transom Dive Door



- 1/4" Coated Aluminum Fuel Tanks
- Under deck dry storage
- Self-bailing cockpit with non-skid deck
- Center console with storage compartment
- Lockable rod storage (12 rods)
- 10 year hull warranty



340 LE

The SeaVee 340 Luxury Edition (LE) is a capable fishing platform offering a variety of additional seating and storage options for families seeking a comfort upgrade. The 340 LE can be customized to your individual needs with everything from a full forward sun-pad, bow garage, rear L-shaped bench seat and a variety of other options.

SPECIFICATIONS*

| | |
|---------------------|------------|
| Length: | 34' 9" |
| Beam: | 10' |
| Weight w/o engines: | 8,600 lbs. |
| Hull Draft: | 20" |
| Hull Deadrise: | 23.5° |
| Fuel Capacity: | 328 gal. |
| Fresh Water: | 40 gal. |
| Waste: | 14 gal. |
| Max Engines: | 3 |
| Max HP: | 1,200 |

CAPACITIES


| | |
|------------------------------|-----------------|
| Fwd Fishbox: | 180 gal. |
| Fwd Fishbox / Live Well: | 53 gal. |
| In Deck Fishbox / Live Well: | 60 gal. |
| Transom Live Well: | 60 gal. |
| Transom Storage / Live Well: | 10 gal./22 gal. |

STANDARD FEATURES

- 60 gallon live bait well with pump
- Transom bait station with sink
- Integrated platform with transom door
- Fully insulated fishboxes (2)
- Hydraulic steering
- High performance trim tabs
- Fuel / water separator (s)
- Large dual card compass
- Dual automatic bilge pumps
- Dual marine AGM batteries
- Tinned wiring
- Electrical breaker panels
- Navigation lighting
- Heavy duty rub rail
- Anchor locker / Windlass Compartment
- Rod holders (4)
- Helm station keyed, electronically controlled battery switches
- 1/4" Coated Aluminum Fuel Tanks
- Pop up cleats (6)
- Under deck dry storage
- Self-bailing cockpit with non-skid deck
- Center console with storage compartment
- Lockable rod storage (12 rods)
- 10 year hull warranty

DECK LAYOUT CHART

- A. Anchor Locker / Windlass Compartment
- B. Forward Seats With Adjustable Head Rest
- C. Fishbox
- D. Fishbox or Live Well
- E. Lockable Storage / Rod Lockers
- F. Console Storage
- G. Custom Tackle Station
- H. Storage
- I. Bilge Access
- J. Live Well
- K. Transom Storage or Live Well
- L. Transom Dive Door



SPECIFICATIONS

390



390 OPEN

The SeaVee 390 Open represents the ultimate tournament fishing machine. Power options include twin, triple or quad outboards up to 1,200 hp. Notable options include an upper station with full controls, up to 3 insulated fishbones with a combined 370 gallons of capacity, plus an optional coffin box and up to 5 live wells capable of holding 220 gallons.

SPECIFICATIONS*

| | |
|---------------------|-------------|
| Length: | 39' |
| Beam: | 11' |
| Weight w/o engines: | 10,750 lbs. |
| Hull Draft: | 26" |
| Hull Deadrise: | 22.5° |
| Fuel Capacity: | 540 gal. |
| Fresh Water: | 56 gal. |
| Waste: | 19 gal. |
| Max Engines: | 4 |
| Max HP: | 1,800 |

CAPACITIES


| | |
|----------------------------------|-------------|
| Fwd Fishbox: | 160 gal. |
| Fwd. Fishbox / Live Well: | 70 gal. |
| Fwd Wing Boxes: | 2x 100 gal. |
| Aft In Deck Fishbox / Live Well: | 140 gal. |
| Transom Live Well: | 65 gal. |
| Aft Wing Boxes: | 2x 40 gal. |

STANDARD FEATURES

- 65 gallon live well
- Dual aft 40 gallon pull-out compartments
- Hull-Side Door with folding swim ladder
- 120 gallon aft storage locker/optional live well
- 70 gallon forward insulated fishbox
- 160 gallon forward insulated fishbox
- Lockable rod storage
- Walk-in console with side sliding door, fresh water sink and shower
- Freshwater washdown system with coiled hose and molded hose tray
- Saltwater washdown system with coiled hose and molded hose tray
- Dedicated anchor storage locker
- Helm station keyed, electronically controlled battery switches
- Dual tilt out forward storage areas below gunwales or option dual 52" retractable bench seats

DECK LAYOUT CHART

- A. Anchor Locker / Windlass Compartment
- B. Fishbox
- C. Under Gunnel Storage or Pull-out Seats
- D. Fishbox or Live Well
- E. Fwd Wing Boxes / Lockable Rod Lockers
- F. Console Storage
- G. Custom Tackle Station
- H. Storage / Fishbox / In-Deck Live Well
- I. Side Entry Door / Swim Ladder
- J. Bilge Access
- K. Aft Wing Box Storage
- L. Fold Down Seating
- M. Live Well



* Specifications subject to change



390 LE

The SeaVee 390 Luxury Edition (LE) is a serious fishing platform offering a variety of additional seating and storage options for families that like to spend time on the water together. The 390 LE can be customized to your individual needs with everything from an L-shaped forward seating lounge, a full sun pad, wet bar, rear lounge seats and a variety of other options.

SPECIFICATIONS

| | |
|---------------------|-------------|
| Length: | 39' |
| Beam: | 11' |
| Weight w/o engines: | 11,150 lbs. |
| Hull Draft: | 26" |
| Hull Deadrise: | 22.5° |
| Fuel Capacity: | 540 gal. |
| Fresh Water: | 56 gal. |
| Waste: | 19 gal. |
| Max Engines: | 4 |
| Max HP: | 1,800 |

CAPACITIES


| | |
|----------------------------------|------------|
| Fwd Fishbox: | 160 gal. |
| Aft In Deck Fishbox / Live Well: | 140 gal. |
| Transom Live Well: | 65 gal. |
| Aft Wing Boxes: | 2x 40 gal. |

STANDARD FEATURES

- 65 gallon live bait well
- 160 gallon forward insulated fishbox
- Luxurious wrap around forward seating area with molded mini bar, solid surface counter top, polished stainless steel sink with fresh water faucet.
- Storage below forward seating area
- Dual aft 40 gallon pull-out compartments
- Hull-Side Door with folding swim ladder
- Dedicated anchor and storage locker
- Freshwater washdown system with coiled hose and molded hose tray
- Saltwater washdown system with coiled hose and molded hose tray
- Walk-in console with side sliding door, fresh water sink and shower, dual port lights
- Console starboard side above deck molded 108-quart drink cooler

DECK LAYOUT CHART

- A. Anchor Locker / Windlass Compartment
- B. Fishbox
- C. Wrap Around Seating With Storage
- D. Fishbox or Live Well
- E. Solid Surface Counter Top With Freshwater Sink
- F. Console Storage
- G. Above Deck Cooler
- H. Custom Tackle Station
- I. Side Entry Door / Swim Ladder
- J. Storage / Fishbox
- K. Bilge Access
- L. Aft Wing Storage Boxes
- M. Live Well
- N. Fold Down Seating



- 120 gallon aft storage locker
- Helm station keyed, electronically controlled battery switches
- Large dual self bailing deck scupper ports
- 1/4" Coated Aluminum Fuel Tanks
- Dual automatic bilge pumps
- 10 year hull warranty

